I-Driver

BOSCH

12V MAX LITHIUM-ION

Ultra-Compact Head Length - 3-1/2" total head length 3 times shorter than most popular com
- 7+1 Electronic Clutch - Precision driving, eliminates over torque in soft base materials. Drill mode allows pilot and other small bore holes
- Bosch Lithium-Ion 12V Max Batteries - Advanced Lithium-Ion Technology for optimal battery life, runtime, and power

INCLUDES: (2) Lithium-Ion Batteries, 30 Minute Charger, (2) 1.5" Power Drive Bits, Carrying Case

Part #	Rating	RPM	Torque (in. lbs.)	Weight (lbs.)
BSTPS10-2A	12V	0-600	80 in. lbs.	2.2 lbs.

2-Speed Pocket Driver

NEW

BOSCH

12V MAX LITHIUM-ION

- Powerful for Harder Applications with 265 in-lbs of Max Torque
- Compact Design - Shortest head length and shortest height in class
- 20 + 1 Clutch Settings - For precise torque adjustment
- Forward/Reverse button - Equally useful at driving or removing screws
- Quick Change Chuck - Prevents bit loss in drill or drive mode

INCLUDES: (2) Lithium-Ion 12V Max Batteries, 30 Minute Charger, Carry Case

Part #	Rating	RPM	Torque (in. lbs.)	Weight (lbs.)
BSTPS21-2A	12V	0-1300	265 in. lbs.	1.12 lbs.

Impact Driver

NEW

BOSCH

12V MAX LITHIUM-ION

- Battery Gauge Indicator - 3 LEDs to indicate the capacity level
- Spring-loaded Impact Mechanism - Reduces user fatigue
- 1/4" Hex Drive with Quick Release
- Variable Speed Trigger - For complete control
- Ergonomic Soft Grip Handle - For extended comfort and control

INCLUDES: (2) Lithium-Ion 12V Max Batteries, 30 Minute Charger, Carry Case

Part #	Rating	RPM/BPM	Torque (in. lbs.)	Weight (lbs.)
BSTPS41-2A	12V	2600/3100	930 in. lbs.	2.18 lbs.

Pocket Driver

BOSCH

12V MAX LITHIUM-ION

- Compact Design - 6-1/2" total length can be carried anywhere
- Forward/Reverse button - Equally useful at driving or removing screws
- 10+1 Clutch - Enables precision driving and no over torque in soft base materials. Max mode allows pilot and other small bore holes
- Bosch Lithium-Ion 12V Max Batteries - Advanced Lithium-Ion Technology for optimal battery life, runtime, and power.

INCLUDES: (2) Lithium-Ion 12V Max Batteries, 30 Minute Charger, (2) 1.5" Power Drive Bits, Carrying Case

Part #	Rating	RPM	Torque (in. lbs.)	Weight (lbs.)
BSTPS10-2A	12V	0-500	100 in. lbs.	1.13 lbs.

3/8" Drill Driver

BOSCH

NEW

12V MAX LITHIUM-ION

- Best Performance to Size Ratio
- Equipped with 3/8" Single Sleeve Chuck
- 20 + 1 Clutch Settings - For precise torque adjustment
- Forward/Reverse Button - Equally useful at driving or removing screws
- Light Weight - Great for overhead continuous work
- Compactness - Small enough to reach into tight areas and corners

INCLUDES: (2) Lithium-Ion 12V Max Batteries, 30 Minute Charger, Carry Case

Part #	Rating	RPM	Torque (in. lbs.)	Weight (lbs.)
BSTPS31-2A	12V	0-1300	265 in. lbs.	2.14 lbs.

Metal Shear

BOSCH

NEW

12V MAX LITHIUM-ION

- Accurate Cutting - Able to cut holes as small as 1/2" in diameter
- Cut Straight Lines as Well as Curves with Tight Minimum Radius
- Compact - For working overheard
- Lightweight - Only 3 lbs
- Ambidextrous Control – Switch is located on top of the tool

INCLUDES : Feeler Gauge, Allen Key, (2) Lithium-ion 12 Max Batteries, 30 Minute Charge

Part #	Rating	RPM	Thickness	Weight (lbs.)
BSTPS70-2A	12V	3600	18 ga./12 ga.	3.0 lbs.

Brute Tough™ 1/2" Drill/Driver

BOSCH

18 VOLT LITHIUM-ION FLEXIBLE

- Durashield™ Housing & Unibody Powertrain - Provide extra durability to withstand real world conditions
- Bosch Lithium-Ion - Advanced Lithium-Ion technology that combines Electronic Cell Protection (ECP), unique battery pack design, and customized electronics to deliver optimal battery life and performance.
- Electronic Motor Protection (EMP) - Works with ECP to protect the motor against overloading and overheating in extreme stall conditions

INCLUDES: (2) Lithium-Ion FatPack Batteries, 30 Minute Charger, Magnetic Bit Holder, Philips Drive Bit, Side Handle, Carrying Case

Part #	Rating	RPM	Torque (in. lbs.)	Weight (lbs.)
BST37618-01	18V	0-1800	650	5.5 lbs.

Compact Tough™ 1/2" Drill/Driver

BOSCH

18 VOLT LITHIUM-ION FLEXIBLE

- Bosch Lithium-Ion - Advanced Lithium-Ion technology that combines Electronic Cell Protection (ECP), unique battery pack design, and customized electronics to deliver optimal battery life and performance.
- New Compact Tough™ Design - For increased maneuverability in tight spaces and less user fatigue
- Ratcheting Single Sleeve 1/2" Chuck - For one-handed bit changes

INCLUDES: (2) Lithium-Ion SlimPack Batteries, 30 Minute Charger, Double Ended Bit, Carrying Case

Part #	Rating	RPM	Torque (in. lbs.)	Weight (lbs.)
BST36618-02	18V	0-1600	500	3.7 lbs.

High Torque Impact Wrench with Pin Detent

BOSCH

NEW 18 VOLT LITHIUM-ION FLEXIBLE

- Heavy Duty All-Metal Motor, Impact Hammer and Anvil System
- Bosch Lithium-Ion - Advanced Lithium-Ion technology that combines Electronic Cell Protection (ECP), unique battery pack design, and customized electronics to deliver optimal battery life and performance
- LED Light - Adds visibility in dark areas
- Ergonomic Soft-Grip Handle and Surfaces - Adds comfort and reduces user fatigue
- True Flat Anvil Design - Makes changing sockets easier

INCLUDES: (2) Lithium-Ion FatPack Batteries, 30 Minute Fast Charger

Part #	Rating	RPM/BPM	Torque (ft. lbs.)	Weight (lbs.)
BSTHTH181-01	18V	1900/2100	500	6.7 lbs.

Brute Tough™ 1/2" Hammer Drill/Driver

BOSCH

18 VOLT LITHIUM-ION FLEXIBLE

- Durashield™ Housing & Unibody Powertrain - Provide extra durability to withstand real world conditions
- Bosch Lithium-Ion - Advanced Lithium-Ion technology that combines Electronic Cell Protection (ECP), unique battery pack design, and customized electronics to deliver optimal battery life and performance
- Electronic Motor Protection (EMP) - Works with ECP to protect the motor against overloading and overheating in extreme stall conditions

INCLUDES: (2) Lithium-Ion FatPack Batteries, 30 Minute Charger, Magnetic Bit Holder, Philips Drive Bit, Side Handle, Carrying Case

Part #	Rating	RPM	Torque (in. lbs.)	Weight (lbs.)
BST17618-01	18V	2050/3750	650	5.8 lbs.

Impact Driver

BOSCH

NEW

18 VOLT LITHIUM-ION FLEXIBLE

- Most Compact Impactor™ Design - For increased maneuverability in tight spaces and comfort
- Bosch Lithium-Ion - Advanced Lithium-Ion technology that combines Electronic Cell Protection (ECP), unique battery pack design, and customized electronics to deliver optimal battery life and performance
- Built-In LED Light - Great for dark corners or enclosed areas

INCLUDES: (2) Lithium-Ion FatPack Batteries, 30 Minute Charger, Double-ended Phillips Bit, Belt Clip, Carrying Case

Part #	Rating	RPM	Torque (in. lbs.)	Weight (lbs.)
BST25618-01	18V	0-3200	1500	3.8 lbs.

1" SDS-plus® Rotary Hammer

BOSCH

36 VOLT LITHIUM-ION FLEXIBLE

- 1" Solid Bit Capacity/2.5" Core Bit Capacity
- 3-Mode Selector - Rotation only, rotary hammer and hammer only mode
- Lithium-Ion 36V Batteries - Allows more battery charges, longer run time and more power
- Tool-free Bit Changes with Automatic Bit Locking, Dust Protection and Maximum Impact Energy Transfer Rate
- Vario-Lock™ Positioning - Rotates and Locks chisel into 36 different positions
- Integral Clutch - Helps minimize torque reaction

INCLUDES: (2) Lithium-Ion 36V FatPack Batteries, 1-Hour Fast Charger, 360˚ Auxiliary Handle, Depth Gauge, Carrying Case

Part #	Rating	RPM	Capacity (in.)	Weight (lbs.)
BST11536VSR	36V	960	1 - 1-1/4	7.2 lbs.

6-1/2" Circular Saw

BOSCH

18 VOLT LITHIUM-ION FLEXIBLE

- Bosch Lithium-Ion - Advanced Lithium-Ion technology that combines Electronic Cell Protection (ECP), unique battery pack design, and customized electronics to deliver optimal battery life and performance
- 6-1/2" Saw Blade - Cut through 2x material even at full depth of cut
- Exclusive Anti-snag Lower Guard - For ease of cut
- Easy to Read Depth of Cut Gauge - Maximizes cutting performance
- 50˚ Bevel - For wider range of applications
- Heavy-Duty Aluminum Foot and Upper Guard - For enhanced durability

INCLUDES: Lithium-Ion FatPack Battery, Lithium-Ion Fast Charger, Allen Key, 6-1/2" 18-tooth Carbide Blade

1 FatPack

Part #	Rating	RPM	Dia. (in.)	Weight (lbs.)
BSTCCS180K	18V	3900	6-1/2	6.6 lbs.

4-1/2" Angle Grinder

BOSCH

2 FatPack

BOSCH 18 VOLT LITHIUM-ION FLEXIBLE

- Bosch Lithium-Ion - Advanced Lithium-Ion technology that combines Electronic Cell Protection (ECP), unique battery pack design, and customized electronics to deliver optimal battery life and performance
- Powerful 4-Brush Motor Design - For heavy duty applications
- Overload Protection and Lifetime Brush Design - Creates long motor life without need to change brushes
- Burst-Wheel Resistant Guard Design - Resists rotation in the case of wheel burst

INCLUDES: (2) Lithium-Ion FatPack Batteries, Grinding and Cutting Guards, Flange Kit Including Side Handle, Spanner Wrench and Matched Flanges, Carrying Case

Part #	Rating	RPM	Dia. (in.)	Weight (lbs.)
BSTCAG180-01	18V	10,000	4-1/2	5.0 lbs.

Premium 360˚ Stereo (Basic)

BOSCH

LITHIUM-ION

- 360˚ Premium Stereo Sound
- 4 Speakers and Subwoofer
- Rugged Aluminum/Rubber Roll Cage withstands tough jobsite conditions
- Weather-resistant Design
- Play MP3 and WMA digital music files from most MP3 players, CD players and most SD/MMC cards and USB mass storage devices
- Satellite Radio, SD/MMC Memory Cards, USB Port, Line Out Port
- 4 Power Outlets
- 12V DC Power Outlet - Compatible with Cars

Part #	Description	Weight (lbs.)
BSTPB360S	14.5" x 14" x 13.5", NO remote, NO backlit	25

Reciprocating Saw

BOSCH

1 FatPack

18 VOLT LITHIUM-ION FLEXIBLE

- Bosch Lithium-Ion - Advanced Lithium-Ion technology that combines Electronic Cell Protection (ECP), unique battery pack design, and customized electronics to deliver optimal battery life and performance
- Compact Size - Makes it easier to get into tight spaces
- Patented Lockjaw™ Blade Change System - For fast, easy one handed blade insertion and ejection
- 1-1/8" Stroke - Remove more material per stroke
- Variable Speed Trigger - Helps you ease into the material without kickback

INCLUDES: Lithium-Ion FatPack Battery, Lithium-Ion Fast Charger, (2) Bi-metal Reciprocating Blades

Part #	Rating	RPM	Stroke (in.)	Weight (lbs.)
BSTCRS180K	18V	2700	1-1/8	7.6 lbs.

Batteries

BOSCH

LITHIUM-ION

BSABAT836

BSABAT618

BSABAT609

BSABAT411

Part #	Description	Voltage
BSABAT836	FatPack	36V
BSABAT618	FatPack	18V
BSABAT609	SlimPack	18V
BSABAT411		12V

Chargers

BSABC630

BSABC430

Part #	Description	Voltage
BSABC630	14.4V-18V FatPack	30
	14.4V-18V SlimPack	30
BSABC430	12V	30

Flashlights

BOSCH

LITHIUM-ION

BSAFL11A

BSACFL180

Part #	Description	Voltage
BSTFL11A	7+ Hours Continuous Run Time	12V
BSTCFL180	Enables Up to 4 Hours of Continuous Run Time	18V

X5L™ SDS-plus® Full Head Hammer Carbide

BOSCH

Full Head Carbide Tip
- Lasts 4X longer than Hilti TE-C3X in rebar*
- Faster drilling speed and less carbide wear

Centric Conical Tip
- Guides bit through concrete
- Provides rounder holes

Wear Mark
- Alerts user when bit has worn to a level inappropriate for precision anchoring

Flute Design
- Fast dust removal
- Runs cooler
- Optimized flute cross section reduces stress

Diffusion Bonding Technology
- Stronger carbide bond for a longer lasting bit

Diffusion Bonding
Carbide and steel are bonded together at a molecular level.





Part #	Diameter	Useable Length	Length	Qty.
BSAHCFC2010	3/16”	2”	4”	1
BSAHCFC2010B25	3/16”	2”	4”	25
BSAHCFC2011	3/16”	4”	6-1/2”	1
BSAHCFC2011B25	3/16”	4”	6-1/2”	25
BSAHCFC2012	3/16”	6”	8-1/2”	1
BSAHCFC2012B25	3/16”	6”	8-1/2”	25
BSAHCFC2014	3/16”	10”	12”	1
BSAHCFC2014B25	3/16”	10”	12”	25
BSAHCFC2040	1/4””	2”	4”	1
BSAHCFC2040B25	1/4”	2”	4”	25
BSAHCFC2041	1/4”	4”	6-1/2”	1
BSAHCFC2041B25	1/4”	4”	6-1/2”	25
BSAHCFC2042	1/4”	6”	8-1/2”	1
BSAHCFC2042B25	1/4”	6”	8-1/2”	25
BSAHCFC2044	1/4”	10”	12”	1
BSAHCFC2044B25	1/4”	10”	12”	25
BSAHCFC2051	5/16”	4”	6-1/2”	1
BSAHCFC2051B25	5/16	4”	6”	25
BSAHCFC2054	5/16”	10”	12”	1
BSAHCFC2061	3/8”	4”	6-1/2”	1
BSAHCFC2061B25	3/8”	4”	6”	25
BSAHCFC2064	3/8”	10”	12”	1
BSAHCFC2064B25	3/8”	10”	12”	25
BSAHCFC2067	3/8”	16”	18	1
BSAHCFC2081	1/2””	4”	6-1/2”	1
BSAHCFC2081B25	1/2”	4”	6”	25
BSAHCFC2084	1/2”	10”	12”	1
BSAHCFC2084B25	1/2”	10”	12”	25
BSAHCFC2087	1/2”	16”	1-8”	1
BSAHCFC2102	5/8”	6”	8-1/2”	1
BSAHCFC2103	5/8”	10”	12”	1
BSAHCFC2104	5/8”	16”	18	1

SDS-plus® Hammer Carbide

BOSCH



SDS-plus® Wild-Bore™ with Speed-X Technology

Part #	Diameter	Useable Length	Length	Qty.
BSAHC2224	3/4”	8”	10”	1
BSAHC2227	3/4”	16”	18”	1
BSAHC2244	7/8”	8”	10”	1
BSAHC2247	7/8”	16”	18”	1
BSAHC2263	1”	8”	10”	1
BSAHC2267	1”	16”	18”	1
BSAHC2283	1-1/8”	8”	10”	1
BSAHC2287	1-1/8”	16”	18”	1

SDS-plus® S4L® Rotary Hammer Bits

BOSCH

15% more life time in concrete

- Optimized brazing and hardening process for long life in reinforced concrete
- Optimized flute design to reduce stress and make the bit run cooler
- 4-flute design for fast dust removal
- Centric tip for optimal hole geometry

Part #	Diameter	Useable Length	Length	Qty.
BSAHC2000	5/32”	2”	4”	1
BSAHC2001	5/32”	4”	6”	1
BSAHC2001B5	5/32”	4”	6”	5
BSAHC2001B25	5/32”	4”	6”	25
BSAHC2010	3/16”	2”	4”	1
BSAHC2010B5	3/16”	2”	4”	5
BSAHC2010B25	3/16”	2”	4”	25
BSAHC2011	3/16”	4”	6”	1
BSAHC2011B5	3/16”	4”	6”	5
BSAHC2011B25	3/16”	4”	6”	25
BSAHC2012	3/16”	6”	8”	1
BSAHC2012B5	3/16”	6”	8”	5
BSAHC2012B25	3/16”	6”	8”	25
BSAHC2013	3/16”	8”	10”	1
BSAHC2013B5	3/16”	8”	10”	5
BSAHC2013B25	3/16”	8”	10”	25
BSAHC2014	3/16”	10”	12”	1
BSAHC2014B5	3/16”	10”	12”	5
BSAHC2014B25	3/16”	10”	12”	25
BSAHC2015	3/16”	12”	14”	1
BSAHC2015B5	3/16”	12”	14”	5
BSAHC2015B25	3/16”	12”	14”	25
BSAHC2031	7/32”	4”	6”	1
BSAHC2031B5	7/32”	4”	6”	5
BSAHC2031B25	7/32”	4”	6”	25
BSAHC2032	7/32”	6”	8”	1
BSAHC2032B5	7/32”	6”	8”	5
BSAHC2032B25	7/32”	6”	8”	25
BSAHC2034	7/32”	10”	12”	1
BSAHC2034B5	7/32”	10”	12”	5

Rebar Cutter

NEW

BOSCH

Fast, sure drilling through rebar

SDS-plus® Shank
- Eliminates need for a separate drill

Relief Hole
- Dissipates heat and allows for slug removal

High quality carbide
- For long drilling life

Steep Spiral Flute
- Removes debris fast

Part #	Diameter	Length	Qty.
BSARC2064	3/8”	12”	1
BSARC2084	1/2”	12”	1
BSARC2094	9/16”	12”	1
BSARC2104	5/8”	12”	1
BSARC2124	3/4”	12”	1
BSARC2144	7/8”	12”	1
BSARC2164	1”	12”	1
BSARC2168	1-1/8”	12”	1
BSARC2172	1-1/4”	12”	1
BSARC2176	1-1/2”	12”	1

SDS-max® Rotary Hammer Core Bits

BOSCH

Bosch SDS-max® rotary hammer core bits are carbide tipped with an integral shank for better power transmission. Maximum core size is 2-5/8” deep.

Asymmetrical Carbide Teeth
- Faster cutting, longer life

Wave Design
- Transfers energy to bit more effectively for up to 40% better drilling

All-in-One Core
- Transmits power directly to the end of the bit

Part #	Diameter	Useable Length	Lengeth	Qty.
BSAHC8501	1-3/4”	7”	12”	1
BSAHC8506	1-3/4”	17”	22”	1
BSAHC8510	2”	7”	12”	1
BSAHC8515	2”	17”	22”	1
BSAHC8521	2-5/8”	7”	12”	1
BSAHC8526	2-5/8”	17”	22”	1
BSAHC8530	3”	7”	12”	1
BSAHC8531	3-1/4”	7”	12”	1
BSAHC8536	3-1/4”	17”	22”	1
BSAHC8540	3-9/16”	7”	12”	1
BSAHC8545	3-9/16”	17”	22”	1
BSAHC8550	4”	7”	12”	1
BSAHC8555	4”	12”	17”	1
BSAHC8575	5’	17”	22”	1
BSAHC8595	6”	17”	22”	1
BSAHC88 Centering Bit & Drif Pin	—	—	5-5/16”	1

SDS-max® Hammer Carbide

BOSCH



SDS-max® Rotary Hammer Bits with Speed-X Technology

Bosch carbide rotary hammer bits feature tips that stay sharper longer and deliver more holes within their ANSI specification than competitors’ bits.

- Manufactured to ANSI standards.
- SDS-max® rotary hammer bits not only fit Bosch SDS-max® hammers, but also competitive SDS-max® drive hammers and Hilti hammers using TE-Y and TE-FY shanks

Part #	Diameter	Useable Length	Length	Qty.
BSAHC5005†	3/8”	8”	13”	1
BSAHC5010†	1/2”	8”	13”	1
BSAHC5012†	1/2”	11”	16”	1
BSAHC5011†	1/2”	16”	21”	1
BSAHC5013†	1/2”	24”	29”	1
BSAHC5015†	9/16”	8”	13”	1
BSAHC5016†	9/16”	16”	21”	1
BSAHC5017†	9/16”	24”	29”	1
BSAHC5020	5/8”	8”	13”	1
BSAHC5021	5/8”	16”	21”	1
BSAHC5024	5/8”	24”	29”	1
BSAHC5023	5/8”	31”	36”	1
BSAHC5026	11/16”	16”	21”	1
BSAHC5030	3/4”	8”	13”	1
BSAHC5031	3/4”	16”	21”	1
BSAHC5034	3/4”	24”	29”	1
BSAHC5033	3/4”	31”	36”	1
BSAHC5036	13/16”	16”	21”	1
BSAHC5040	7/8”	8”	13”	1
BSAHC5041	7/8”	16”	21”	1
BSAHC5044	7/8”	24”	29”	1
BSAHC5043	7/8”	31”	36”	1
BSAHC5050	1”	8”	13”	1
BSAHC5051	1”	16”	21”	1
BSAHC5054	1”	24”	29”	1
BSAHC5053	1”	31”	36”	1
BSAHC5060	1-1/8”	8”	13”	1
BSAHC5061	1-1/8”	16”	21”	1
BSAHC5062	1-1/8”	24”	29”	1
BSAHC5063	1-1/8”	31”	36”	1
BSAHC5070	1-1/4”	8”	13”	1
BSAHC5071	1-1/4”	16”	21”	1
BSAHC5072	1-1/4”	24”	29”	1
BSAHC5073	1-1/4”	31”	36”	1
BSAHC5081	1-3/8”	16”	21”	1
BSAHC5082	1-3/8”	24”	29”	1
BSAHC5083	1-3/8”	31”	36”	1
BSAHC5091	1-1/2”	16”	21”	1
BSAHC5092	1-1/2”	24”	29”	1
BSAHC5093	1-1/2”	31”	36”	1
BSAHC5098	1-3/4”	16”	21”	1
BSAHC5099	2”	16”	21”	1

†2 Cutter

DareDevil™ Spade Bits

NEW

BOSCH

Feed your need for speed!

Drills 2.4X Faster with 53% Less Force than leading competitor

Full Cone Threaded Tip
- Fast and effortless drilling

Spur and Reamer
- Cleaner holes

Contoured Paddle
- Faster chip removal

Hex Shank with Power Groove
- Reduces slippage

DareDevil™ Standard Spade Bits

Part #	Dia. (in.)	Length	Qty.	Bulk Item	Bulk Qty
BSTDSB1001	1/4”	6”	5	BSTDSB1001B	60
BSTDSB1002	5/16”	6”	5	BSTDSB1002B	60
BSTDSB1003	3/8”	6”	5	BSTDSB1003B	50
BSTDSB1004	7/16”	6”	5	BSTDSB1004B	50
BSTDSB1005	1/2”	6”	5	BSTDSB1005B	50
BSTDSB1006	9/16”	6”	5	BSTDSB1006B	50
BSTDSB1007	5/8”	6”	5	BSTDSB1007B	50
BSTDSB1008	11/16”	6”	5	BSTDSB1008B	40
BSTDSB1009	3/4”	6”	5	BSTDSB1009B	40
BSTDSB1010	13/16”	6”	5	BSTDSB1010B	40
BSTDSB1011	7/8”	6”	5	BSTDSB1011B	40
BSTDSB1012	15/16”	6”	5	BSTDSB1012B	30
BSTDSB1013	1”	6”	5	BSTDSB1013B	30
BSTDSB1015	1-1/8”	6”	5	BSTDSB1015B	25
BSTDSB1017	1-1/4”	6”	5	BSTDSB1017B	25
BSTDSB1019	1-3/8”	6”	5	BSTDSB1019B	20
BSTDSB1021	1-1/2”	6”	5	BSTDSB1021B	20
BSTDSBE1006	N/A	6” ext.	5	N/A	
BSTDSBE1012	N/A	12” ext.	1	N/A	

NailKiller™ Augers

NEW

BOSCH

Easy in wood, tough on nails

Last 3X Longer in nails and cuts with 20% Less Force then standard auger bits

Dual Cutting Edges
- Easier nail cutting and balanced drilling

Reinforced Spine
- Added strength for heavy duty applications

Reamer Edge
- Cleaner holes

Stronger Tip
- Withstands repeated nail hits

Cont... NailKiller™ Augers



Part #	Dia. (in.)	Length	Flute	Shank Size	Qty.
BSTNKST04	1/4”	7-1/2”	4”	3/16”	1
BSTNKST05	5/16”	7-1/2”	4”	1/4”	1
BSTNKST06	3/8”	7-1/2”	4”	1/4”	1
BSTNKST07	7/16”	7-1/2”	4”	1/4”	1
BSTNKST08	1/2”	7-1/2”	4”	5/16”	1
BSTNKST09	9/16”	7-1/2”	4”	7/16”	1
BSTNKST10	5/8”	7-1/2”	4”	7/16”	1
BSTNKST11	11/16”	7-1/2”	4”	7/16”	1
BSTNKST12	3/4”	7-1/2”	4”	7/16”	1
BSTNKST13	13/16”	7-1/2”	4”	7/16”	1
BSTNKST14	7/8”	7-1/2”	4”	7/16”	1
BSTNKST15	15/16”	7-1/2”	4”	7/16”	1
BSTNKST16	1”	7-1/2”	4”	7/16”	1
BSTNKST18	1-1/8”	7-1/2”	4”	7/16”	1
BSTNKST20	1-1/4”	7-1/2”	4”	7/16”	1
BSTNKST22	1-3/8”	7-1/2”	4”	7/16”	1
BSTNKST24	1-1/2”	7-1/2”	4”	7/16”	1
BSTNKMT06	3/8”	13”	9”	1/4”	1
BSTNKMT07	7/16”	13”	9”	1/4”	1
BSTNKMT08	1/2”	13”	9”	5/16”	1
BSTNKMT09	9/16”	13”	9”	7/16”	1
BSTNKMT10	5/8”	13”	9”	7/16”	1
BSTNKMT11	11/16”	13”	9”	7/16”	1
BSTNKMT12	3/4”	13”	9”	7/16”	1
BSTNKMT13	13/16”	13”	9”	7/16”	1
BSTNKMT14	7/8”	13”	9”	7/16”	1
BSTNKMT15	15/16”	13”	9”	7/16”	1
BSTNKMT16	1”	13”	9”	7/16”	1
BSTNKMT18	1-1/8”	13”	9”	7/16”	1
BSTNKMT20	1-1/4”	13”	9”	7/16”	1
BSTNKMT22	1-3/8”	13”	9”	7/16”	1
BSTNKMT24	1-1/2”	13”	9”	7/16”	1
BSTNKLT06	3/8”	17-1/2”	13-1/2”	1/4”	1
BSTNKLT07	7/16	17-1/2”	13-1/2”	1/4”	1
BSTNKLT08	1/2”	17-1/2”	13-1/2”	5/16”	1
BSTNKLT09	9/16	17-1/2”	13-1/2”	7/16”	1
BSTNKLT10	5/8”	17-1/2”	13-1/2”	7/16”	1
BSTNKLT11	11/16”	17-1/2”	13-1/2”	7/16”	1
BSTNKLT12	3/4”	17-1/2”	13-1/2”	7/16”	1
BSTNKLT13	13/16”	17-1/2”	13-1/2”	7/16”	1
BSTNKLT14	7/8”	17-1/2”	13-1/2”	7/16”	1
BSTNKLT15	15/16”	17-1/2”	13-1/2”	7/16”	1
BSTNKLT16	1”	17-1/2”	13-1/2”	7/16”	1
BSTNKLT17	1-1/16”	17-1/2”	13-1/2”	7/16”	1
BSTNKLT18	1-1/8”	17-1/2”	13-1/2”	7/16”	1
BSTNKLT20	1-1/4”	17-1/2”	13-1/2”	7/16”	1
BSTNKLT22	1-3/8”	17-1/2”	13-1/2”	7/16”	1
BSTNKLT24	1-1/2”	17-1/2”	13-1/2”	7/16”	1
NSTNKXB0711	11/16”	24”	18”	7/16”	1
BSTNKXB0713	13/16”	24”	18”	7/16”	1
BSTNKXB0715	15/16”	24”	18”	7/16”	1
BSTNKXB0717	1-1/16”	24”	18”	7/16”	1

3/4" SDS-plus® Rotary Hammer Drill

BULLDOG

BOSCH

- SDS-plus® Tool Holder - Tool-free bit changes with automatic bit locking, dust protection and maximum impact energy transfer rate
- Patented Rotating Brush Plate - Provides equal power in reverse and extends brush life
- Integral Clutch - Helps minimize torque reaction
- Variable-speed Reversing Trigger - For accurate bit starting, as well as removing fasteners or bound bits

INCLUDES: 360˚ Auxiliary Handle, Depth Gauge, Carrying Case

Part #	Capacities	RPM/BMP	AMPS	Net Weight
BST11250VSR	Masonry 3/4"	1,000/4400	6.1	5.4 lbs.

1" SDS-plus® Combination Hammer Drill

BULLDOG

BOSCH

- Multi-function Selector - 3 modes of operation
- Vario-Lock™ Positioning
- Patented Rotating Brush Plate - Provides equal power in forward and reverse
- Patented Cord Turret - 35° pivot for added flexibility and longer cord life
- Variable-speed Reversing Trigger
- Integral Clutch - Helps minimize torque reaction

INCLUDES: Auxiliary Handle, Depth Gauge, Carrying Case

Part #	Capacities	RPM/BMP	AMPS	Net Weight
BST11253VSR	Masonry 1"	1,300/5800	7.2	6.4 lbs.

7/8" SDS-plus® Combination Hammer Drill

BULLDOG

BOSCH

- SDS-plus® Bit System
- Multi-function Selector
- Variable-speed Reversing Trigger
- Vario-Lock™ Positioning
- D-handle Design
- 360˚ Auxiliary Handle with Built-in Depth Gauge
- Integral Clutch - Helps minimize torque reaction

INCLUDES: 360˚ Auxiliary Handle, Depth Gauge, Carrying Case

Part #	Capacities	RPM/BMP	AMPS	Net Weight
BST11224VSR	Concrete 7/8"	1,100/6150	6.9	6.5 lbs.

1-1/4" SDS-plus® Combination Hammer Drill

Vibration Control

NEW

BOSCH

- Quick Change Chuck System
- Multi-function Selector - 3 modes of operation: rotary hammer, hammer only mode, rotation only mode
- Integral Clutch - Helps minimize torque reaction
- Vario-Lock™ Positioning - Rotates and locks chisel into 12 different positions
- Variable Speed 3 Finger Trigger - Better operator control and accurate bit starting

INCLUDES: Auxiliary Handle, Depth Gauge, Carrying Case

Part #	Capacities	RPM/BMP	AMPS	Net Weight
BSTRH432VCQ	Concrete 1-1/4"	1900/4000	8.5	10.3 lbs.

3/4" SDS-plus® Rotary Hammer Drill

BULLDOG

NEW

BOSCH

- Compact and Lightweight - 7-7/8" height and only 7.4 lbs
- SDS-plus® Bit System
- Dual Mode Selector
- Patented Rotating Brush Plate - Provides equal power in reverse and extends brush life
- Integral Clutch - Helps minimize torque reaction
- 360° Auxiliary Handle
- Dust Collection with Micro-filter System - Dramatically reduces dust on the jobsite
- Easily Adjustable Dust Collection Unit - Install or remove with one hand
- Integrated Dual Fan System

INCLUDES: 360˚ Auxiliary Handle, Depth Gauge, Dust Collection Unit, Carrying Case

Part #	Capacities	RPM/BMP	AMPS	Net Weight
BST11250VSRD	Masonry 3/4"	1,000/4400	6.1	7.4 lbs.

1" SDS-plus® Combination Hammer Drill

BULLDOG

BOSCH

- Multi-function Selector
- Vario-Lock™ Positioning
- Patented Rotating Brush Plate - Provides equal power in forward and reverse
- Patented Cord Turret - 35° pivot for added flexibility and longer cord life
- Variable-speed Reversing Trigger
- D-handle design - Ideal for overhead and downward drilling applications

INCLUDES: Auxiliary Handle, Depth Gauge, Carrying Case

Part #	Capacities	RPM/BMP	AMPS	Net Weight
BST11255VSR	Concrete 1"	1,300/5800	7.5	6.7 lbs.

1-1/8" SDS-plus® Combination Hammer Drill

Vibration Control

NEW

BOSCH

- Multi-function Selector - 3 modes of operation: rotary hammer, hammer only mode, rotation only mode
- Integral Clutch - Helps minimize torque reaction
- Vario-Lock™ Positioning - Rotates and locks chisel into 12 different positions

ICLUDES: Auxiliary Handle, Depth Gauge, Carrying Case

Part #	Capacities	RPM/BMP	AMPS	Net Weight
BSTRH328VC	Concrete 1-1/8"	900/4000	8.0	7.9 lbs.

1-9/16" SDS-max® Combination Hammer Drill

BOSCH

- SDS-max® Bit System
- "Combination" Dual Mode Selector
- Integral Clutch - Helps minimize torque reaction
- Vario-Lock™ Positioning - Rotates and locks chisel into 12 different positions to optimize working angle
- 360° Auxiliary Handle
- Innovative Service Modules - Designed so a qualified service technician can quickly replace the brushes and cord

INCLUDES: Auxiliary Handle, Carrying Case

Part #	Capacities	RPM/BMP	AMPS	Net Weight
BST11240	Concrete 1-9/16"	1900/4000	10.0	13.2 lbs.

1-5/8" SDS-max® Combination Hammer Drill

Vibration Control

NEW BOSCH

- Active Vibration Control™
- One-Hand™ SDS-max® - One-hand tool free system makes changing bits easier than ever before
- Constant Response™ Circuitry
- Turbo™ Power - Delivers 20% more power in hammer only mode.
- Integral Clutch - Helps minimize torque reaction
- Vario-Lock™ Positioning - Rotates and locks chisel into 12 different positions
- Auto-Max™ Variable Speed Dial - Ensures maximum speed every time the tool is turned on

INCLUDES: Auxiliary Handle, Carrying Case

Part #	Capacities	RPM/BMP	AMPS	Net Weight
BST11264EVS	Concrete 1-5/8"	340/2900	13.0	14.3 lbs.

1-3/4" SDS-max® Combination Hammer Drill

BOSCH

- "Combination" Dual Mode Selector
- Constant Response™ Circuitry - Provides soft-start, maintains constant speed under load, provides overload protection
- Turbo™ Power Feature - Delivers 20% more power in hammer only mode
- Integral Clutch - Helps minimize torque reaction
- Vario-Lock™ Positioning - Rotates and locks chisel into 12 different positions to optimize working angle
- Variable Speed Dial - For accurate bit starting and controlled chipping

INCLUDES: Auxiliary Handle, Carrying Case

Part #	Capacities	RPM/BMP	AMPS	Net Weight
BST11263EVS	Concrete 1-3/4"	280/2800	13.5	17.9 lbs.

2" SDS-max® Combination Hammer Drill

BOSCH

- "Combination" Dual Mode Selector - 2 modes of operation, rotary hammer and hammer only mode
- Constant Response™ Circuitry - Provides soft-start, maintains constant speed under load, provides overload protection
- Integral Clutch - Helps minimize torque reaction
- Vario-Lock™ Positioning - Rotates and locks chisel into 12 different positions to optimize working angle
- Service Minder™ Light
- Variable-speed Dial - For accurate bit starting

INCLUDES: Auxiliary Handle, Carrying Case

Part #	Capacities	RPM/BMP	AMPS	Net Weight
BST11245EVS	Concrete 2"	250/2500	14.5	24.5 lbs.

SDS-max® Demolition Hammer

BOSCH

- SDS-max® Bit System - Tool-free bit changes with automatic bit locking, dust protection and maximum impact energy transfer rate
- Variable-speed Dial - For controlled chipping applications
- Constant Response™ Circuitry - Provides soft-start, maintains constant speed under load, provides overload protection
- Vario-Lock™ Positioning
- Service Minder™ Light
- Padded Rear Handle - Absorbs shock for operator comfort

INCLUDES: Auxiliary Handle, Carrying Case

Part #	Length	BMP	AMPS	Net Weight
BST11316EVS	22-1/2"	900-1890	14.0	22.5 lbs.

1-1/8" Hex Collar Breaker Hammer

Vibration Control

BOSCH

- Impact Force of 34 ft-lbs and Powerful 1750 W Motor - Fastest removal rate in its class
- Active Vibration Control™ - Vibration reduction in the hammer mechanism and the grip area provides maximum user comfort
- In-Line Design – Ultimate tool balance with multiple grip positions for maximum performance in angled, horizontal, and vertical applications
- Well Positioned lock on switch – Eliminates unintentional shut off.
- 360° Articulating Auxiliary Handle – Provides a wide range of movement along with operator comfort
- 2-Way Tool Retainer – Accepts standard 1-1/8" (28mm) hex, air tool steel with retaining collar or Bosch internal locking combo steel

INCLUDES: Pointed Chisel (400 mm), Articulating Auxiliary Handle, Carrying Case with Wheels

Part #	Length	BMP	AMPS	Net Weight
BST11335K	30-1/2""	1300	15.0	38.0 lbs.

1-1/8" Hex Collar Breaker Hammer

Brute

NEW BOSCH

- Features T1757 Deluxe Hammer Cart
- Folding Foot Plate – Easily folds out of the way for use as a hand truck
- 8" Foam Tires – Puncture free tires absorb shock over rugged terrain
- Truck Ramp – For easy loading in and out of a truck or van
- Accessory Holders – Securely holds hammer steel in place during transportation
- Quick Release Strap – Durable Nylon material with quick release
- Cord Wrap – Convenience for transportation

INCLUDES: (2) Star Point Chisels, (2) Narrow Chisels

Part #	Length	BMP	AMPS	Net Weight
BST11304KD	29-3/4""	1400	15.0	64.0 lbs.

4-1/2" Paddle Switch Grinder

BOSCH

Vibration Control

- Lock-on/off Switch - For extended use applications
- 2-Position Vibration Control™ Side and Main Handles - Reduces vibration up to 60%, providing uncompromising user comfort for extended periods of work
- Service Minder™ Brushes - Eliminates guess work, stops tool when preventive maintenance is required

INCLUDES: Guard, Vibration Control Auxiliary Handle, Flange Kit (inner and outer wheel flanges), Spanner Wrench, Abrasive Wheel

Part #	Capacity	RPM	AMPS	Weight
BST1810PS	Grind 4-1/2", Sand 4", Brush 3"	11,000	120V 8.0	4.3 lbs.

5" Angle Grinder (variable speed)

BOSCH

Vibration Control

- Powerful & Durable - For the most demanding jobs/ compact and light weight for all day use
- Lock-on/off Switch - For extended use applications
- 2-Position Vibration Control™ Handle - Reduces vibration up to 60%, providing uncompromising user comfort for extended periods of work
- Epoxy Coated Field Windings
- Service Minder™ Brushes - Eliminates guesswork,

INCLUDES: Guard, Vibration Control Auxiliary Handle, Flange Kit (inner and outer wheel flanges), Spanner Wrench, Abrasive Wheel

Part #	Capacity	RPM	AMPS	Weight
BST1803EVS	Grind 5", Sand 4", Brush 3"	11,000	120V 9.0	4.5 lbs.

5" Rat Tail Grinder

BOSCH

Vibration Control

- Lock-on/off Switch - For extended use applications
- 2-Position Vibration Control™ Handle - Reduces vibration up to 60%, providing uncompromising user comfort for extended periods of work
- Constant Response™ Circuitry - Provides soft-start, maintains constant speed under load, provides overload protection
- Sealed Switch - Keeps debris out of the switch mechanism and extends switch life

INCLUDES: Guard, Vibration Control Auxiliary Handle, (2) 5" Grinding Wheels, Flange Kit, Spanner Wrench

Part #	Capacity	RPM	AMPS	Weight
BST1821	Grind 5", Sand 4", Brush 3"	11,000	120V 9.5	5.1 lbs.

7" High Performance Large Angle Grinder ™

BOSCH

NEW

Vibration Control

- Light Weight - Reduces fatigue and uncompromising user comfort during extended periods of work
- Vibration Control™ Side and Main Handles - Reduces vibration up to 60%, providing uncompromising user comfort for extended periods of work
- Quick Adjust Guard System
- Epoxy Coated Field Windings - Provides ultimate protection against abrasive dust and metal debris

INCLUDES: Vibration Control Auxiliary Handle, Quick Adjust Wheel Guard, Grinding Wheel Flange Kit, Spanner Wrench

Part #	Capacity	RPM	AMPS	Weight
BST1974-8	Grind 7", Sand 5", Brush 5"	8500	120V 15.0	11.4 lbs.

5" Concrete Surfacing Grinder

BOSCH

- Lock-on/off Switch - For extended use applications
- Double Sealed Ball Bearings and Two "Lip-sealing" Protective Rings - Added protection against dust
- Constant-Response™ Circuitry - Provides soft-start, maintains constant speed under load
- Automatic Restart Protection - Protects against automatic restart after a power failure. Ensures that tool is intentionally powered on each time.

INCLUDES: Auxiliary Handle, Flange Kit, Spanner Wrench, 5" Diamond Cup Wheel, Vacuum Adapter, 3 Extra Brush Rings, Carrying Case

Part #	Capacity	RPM	AMPS	Weight
BST1773AK	Grind 5" - Diamond Cup Wheel	11,000	120V 10.0	5.95 lbs.

14" Benchtop Abrasive Cutoff Saw

BOSCH

- Superior Motor Insulation - Extra motor over-load protection during tough applications
- Locking Vise with Quick-Release - Holds awkward material stable for fast and efficient cutting
- Adjustable Fence - Adjusts for bevel cuts ranging from 0-45°
- Trigger with Lock-on - For extended use applications
- Ball and Roller Bearing Construction - Smooth power transmission and extended tool life
- Precision Helical Steel Gears

INCLUDES: Wrench, 36 Grit Aluminum Wheel

Part #	HP	Max Depth	RPM	AMPS	Weight
BST3814	4.0	6"	3900	120V 15.0	42.0 lbs.

Airsweep™ 13 Gallon Wet/Dry Vacuum Cleaner with Plastic Bag Capability

BOSCH

NEW

- 4 Modes of Operation for Maximum Vacuuming Versatility - Regular vacuum, Power Tool Activation, Pulse-Clean™, Pulse-Clean™ with Power Tool Activation
- Activation by Power Tool - Allows power tool's switch to turn vac on and off. 7-second run-on to clear hose of remaining debris
- Power Broker™ Dial - For allocating power (15 amps on a 15 amp circuit, 20 amps on a 20 amp circuit) between vacuum cleaner and connected power tool to optimize usage of the available power and avoid blown circuits. Also allows suction control for other purposes
- Bosch Exclusive Pulse-Clean™ Electromagnetic Filter Cleaning System - Shakes the dual filter cartridges to remove dust and maintain maximum suction power
- 4 Collection Systems - Tank-only, plastic bag, paper bag or slurry bag
- VAC023 Plastic Bag with 10 Gallon Capacity - Holds 20x more concrete dust than paper bags
- New VAC0PB Tank includes special air valve to equalize pressure inside and outside of plastic bag and hose port cap to contain dust after hose is removed
- Fine Dust Filtration Capabilities - Captures 99.93% particles of 3.0 microns and larger in diameter
- Large Rear Wheels and Front Casters with Rubber Tires, Plus Push Handle and Carrying Handle - For easy transportation
- 6.5 Max HP/11.1 - Amp Motor with Soft-start and Bypass Cooling - Powerful suction with features to protect motor and extend its life
- Wet Vacuuming Capability with Water Level Sensor and Drain Valve
- Rugged Construction/Polypropylene Tank - Durable and rust free
- Compact Size - Fits in crowded storage vans and tight storage areas

INCLUDES: 35mm 9.85 Ft. Locking Hose, (2) Polyester Filters, Paper Bag,Plastic Bag

Part #	Angle	PSI	Capacity	Weight
BSTSTN150-18	Straight	60 - 120	100 Nails	2.1 lbs.

Barrel Grip Jig Saw

BOSCH

- Tool-free Blade Change System - For fast and easy blade changes
- Exclusive Multi-directional Blade Clamp Mechanism - Provides superior grip of T-shank blades. Prevents pullout and breakage
- 4-stage Orbital Action adjusts blade motion
- Low Position Roller Guide - Ensures blade stability and precise cutting

INCLUDES: Three Assorted Blades, Footplate Adjustment, Hex Key, Steel Footplate Insert, Anti-Splintering Insert, No-Mar Plastic Footplate Insert, Carrying Case

Part #	Capacities	SPM	AMPS	Net Weight
BST1584AVSK	Steel 3/8" / Wood 3-3/8"	3100	120V 5.0	5.5 lbs.

Top Handle Jig Saw with 12 Blades

BOSCH

- Tool-free Blade Change System - For fast and easy blade changes
- Exclusive Multi-directional Blade Clamp Mechanism - Provides superior grip of T-shank blades. Prevents pullout and breakage
- 4-stage Orbital Action adjusts blade motion
- Low Position Roller Guide - Ensures blade stability and precise cutting

INCLUDES: 12 Assorted Blades, Footplate Adjustment Hex Key, Steel Footplate Insert, Anti-Splintering Insert, No-Mar Plastic Footplate Insert, Carrying Case, Blade Case

Part #	Capacities	SPM	AMPS	Net Weight
BST1587AVSP-1	Steel 3/8" / Wood 3-3/8"	3100	120V 5.0	5.5 lbs.

Top Handle Jig Saw

BOSCH

- Precision Control System - Provides up to 50% more accuracy than competitor saws & virtually no blade wander
- One-Touch® Blade Change System — One-handed insertion and lever ejection for fast and easy blade changes. No need to touch a hot blade!
- Exclusive Multi-directional T-shank Blade Clamp Mechanism - Provides superior grip of T-shank blades and prevents pull-out and breakage
- 4-stage Dust BLower – Adjusts orbital action

INCLUDES: Blade, Non-marring Footplate Over-shoe, Anti-Splintering Insert, Carrying Case

Part #	Capacities	SPM	AMPS	Net Weight
BST1590EVSK	Steel 3/8" / Wood 5-5/16"	2800	120V 6.4	6.0 lbs.

Barrel Grip Jig Saw

BOSCH

- Precision Control System - Provides up to 50% more accuracy than competitor saws & virtually no blade wander
- One-Touch® Blade Change System — One-handed insertion and lever ejection for fast and easy blade changes. No need to touch a hot blade!
- Exclusive Multi-directional T-shank Blade Clamp Mechanism - Provides superior grip of T-shank blades and prevents pull-out and breakage
- 4-stage Dust BLower – Adjusts orbital action

INCLUDES: Blade, Non-marring Footplate Over-shoe, Anti-Splintering Insert, Carrying Case

Part #	Capacities	SPM	AMPS	Net Weight
BST1591EVSK	Steel 3/8" / Wood 5-5/16"	2800	120V 6.4	6.0 lbs.

1-1/8" Reciprocating Saw

BOSCH

NEW

- Tool-less Blade Change System - Fast and effortless blade installation and removal
- Variable Speed Trigger - Improves cutting control in various materials
- Ergonomic Handle with Soft Grip - Maximum comfort and gripping during cutting
- Saw Hook - Convenient tool storage between cuts
- Foot Adjustment - Allows easy foot positioning

INCLUDES: Reciprocating All-purpose Saw Blade, Allen Wrench, Jobsite Carrying Bag

Part #	Capacity	SPM	AMPS	Net Weight
BSTRS7	1-1/8" Stroke Length	2700	120V 11.0	8.5 lbs.

3/4" Reciprocating Saw

BOSCH

- Bosch Lockjaw™ Blade System - Allows for one handed blade insertion and ejection
- Brute™ Drive System - Provides proven durability, endurance and power
- Saw Hook - Convenient tool storage between cuts
- Swivel cord - Allows mobility and provides strain relief
- Soft Grip Boot - Provides user sure under-hand and over-hand cutting

INCLUDES: Heavy Metal Blade, Carrying Case

Part #	Capacity	SPM	AMPS	Net Weight
BSTRS10	3/4" Stroke Length	2800	120V 12.0	8.2 lbs.

1-1/4" Demolition Reciprocating Saw

BOSCH

NEW

Vibration Control

- Anti-Vibration System - Up to 80% reduction
- Orbital Action - Aggressive orbital action results in the optimized cutting rates
- Lockjaw™ Blade Change System - Quick and easy blade changes. Allows one handed blade insertion and ejection
- Constant-Response™ Circuitry - Keeps tool running at constant speed under load
- Robust Demolition Foot - Easily remove or adjust foot with "Cam Lock" lever system

INCLUDES: Demolition Blade, Carrying Case

Part #	Capacity	SPM	AMPS	Net Weight
BSTRS35	1-1/4" Stroke Length	2900	120V 15.0	10.3 lbs.

Barrel Grip Jig Saw

BOSCH

NEW

- Powerful and Accurate - Ideal for flush and trim cuts
- Dual LED - Easy to see your cutting zone
- Tool-Free Blade Change System - Fast and Easy Blade Change
- True Flush Cutting - Offset blade that cuts at working surface
- Light and Compact Design - Easy access to tight spaces
- Dual Blade Mounting System - Use blade on either side of the tool

INCLUDES: Fine-Tooth Flush Cut Blade for Wood

Part #	Capacities	SPM	AMPS	Net Weight
BST1640VS	5/8" Stroke Length	2800	120V 3.5	3.5 lbs.

7-1/4" Circular Saw

BOSCH

- Die Cast Magnesium Footplate - For unmatched durability and flatness
- High Strength and Lightweight Magnesium Upper Guard
- 56˚ Bevel Capacity
- High Contrast Bevel and Depth Scales - For greater accuracy
- Anti-snag Lower Guard
- Saw Hook - Convenient saw storage between cuts
- Powerful Blower to Clear Dust in Line of Cut
- Adjustable Bevel and Depth Levers - For years of consistent locking

INCLUDES: 24 Tooth Carbide Blade, Blade Wrench, Carrying Bag

Part #	Dia.	Arbour	RPM	AMPS	Net Weight
BSTCS10	7-1/4"	5/8"	5600	120V 15.0	10.2 lbs.

10" Single-Bevel Slide Miter Saw

BOSCH

- Up-Front Bevel Lock Lever - Easily accessed controls for quick and accurate bevel setting
- Dual Workpiece Supports – Extends material support from 21" to 36"
- Exclusive Wedge-and-Slot Miter Detent System - Consistent and precise miter angles over the life of the tool
- High Visibility Bevel and Miter Scales - For easy setting of accurate bevel and miter angles
- Crown Miter Detents - 31.6° miter and 33.9° bevel detents for quick and accurate crown cuts
- Miter Detent Override – Enables miter cuts at any angle in saw's range
- Soft-grip Horizontal Handle with Ambidextrous Lockout - For comfortable repetitive cuts
- Electric Brake - For quick, repetitive cuts. Stops blade in seconds

INCLUDES: 10" 60-Tooth Carbide-Tipped Blade, Tool Free Workpiece Clamp, Blade Change Wrench, Dust Bag/Elbow

Part #	Dia.	Arbour	RPM	AMPS	Net Weight
BST4405	10"	5/8"	4700	120V 13.0	54.0 lbs.

10" Dual-Bevel Slide Miter Saw

BOSCH

- Up-Front Bevel Lock Lever and Range Selector Knob - Easily accessed controls for quick and accurate bevel settings
- Microfine Miter Adjustment Knob - For fine adjustment of key (detent) miter angles by up to 2°, left or right
- Multi-positioned Main Handle - Easily locks into any of 4 positions for optimum comfort and control
- Large 21" Base with Built-in Cast Sliding Extensions for 37-1/4" Total Length - Provides extended grip areas and extra support for longer materials
- Tall 4" Speed-Track Sliding Fences - For easy bevel set-ups and increased crown molding cutting capacities
- Miter Detent Override - Holds miter detent lever away from table for free rotation or engagement of Microfine Miter Adjustment feature
- Crown Miter Detents - 31.6° miter and 33.9° bevel detents for quick, accurate crown cuts
- Exclusive Wedge-and-Slot Miter Detent System - Consistent and precise miter angles over the life of the tool

INCLUDES: Premium 60-Tooth Thin-Kerf Carbide-Tipped Blade, Wrench Set, Tool-Free Vertical Work Clamp, Dust Elbow/Dust Bag, Multi-Purpose Tool

Part #	Dia.	Arbour	RPM	AMPS	Net Weight
BST4410	10"	5/8"	4800	120V 15.0	55.0 lbs.

12" Dual-Bevel Slide Miter Saw

BOSCH

- Large 25-1/2" Base with Built-In Cast Sliding Extensions for 40" total support
- Tall 4-1/2" Speed-Track Sliding Fences - For easy bevel set-ups and increased crown molding cutting capacities
- Built-in Length Stop - For quick repetitive cuts of the same length
- Exclusive Wedge-and-Slot Miter Detent System - Consistent and precise miter angles over the life of the tool
- Miter Detent Override - For fast and precise angle adjustment
- Crown Miter Detents - 31.6° miter and 33.9° bevel detents for quick, accurate crown cuts
- Dual Sliding Rail Design - For superior accuracy
- Up-Front Bevel Lock Lever and Range Selector Knob - Easily accessed controls for quick and accurate bevel settings
- Multi-Position Main Handle - Easily locks into any of four positions for optimum comfort and control

INCLUDES: Premium 60-Tooth Thin-Kerf Carbide-Tipped Blade, Wrench Set, Tool-Free Vertical Work Clamp, Dust Bag/Elbow

Part #	Dia.	Arbour	RPM	AMPS	Net Weight
BST5412	12"	1"	3800	120V 15.0	59.0 lbs.

Gravity-Rise™ Wheeled Miter Saw Stand

BOSCH

- Gravity-Rise™ Stand - Patented design for easy miter saw set-up and take down
- Universal Rapid-Release Tool Mounts - Fits most competitors' tools. Remove saw from the stand without tools. Rubber feet protect table or bench tops
- Expansion Rails - Expands material support up to 16 ft.
- Built-in Adjustable Repetitive Stops - Saves time and adapts stand to application
- 8" Treaded Wheels - Handles the toughest jobsite terrains
- Exceptional Portability - Quick and easy wheeled transport between jobsites without ever taking the saw off the stand
- Work Support Height Adjustment - Ultimate flexibility to accommodate different saws
- Adjustable Leveling Feet - For uneven terrain
- One Step Set-Up - Takes the work out of setting up and taking down the sawConsistent and preaccuracy

INCLUDES: Gravity-Rise™ Miter Saw Stand with Wheels, (2) Universal Rapid- Release Tool Mounts

Part #	Capacity	Net Weight
BSTT4B	16 ft. of material, constructed from steel	76.7 lbs.

10" Worksite Table Saw with Gravity-Rise™ Wheeled Stand

BOSCH

- Large 29" X 21-1/2" Machined Aluminum Tabletop
- Smart Guard System - Quick and easy-to-use modular blade guard, anti-kickback pawls and riving knife system provides superior control over the material while cutting
- SquareLock™ Rip Fence - Engineered for maximum trueness
- • Exceptional Portability - Quick and easy transport between jobsites
- Heavy Duty Construction - Built to last with powder coat paint finish for longevity
- 8" Treaded Wheels

INCLUDES: 10" 40-Tooth Carbide-Tipped Blade, Rip Fence, Miter Gauge, Smart Guard System, Push Stickravity-Rise™ Table Saw Stand

Part #	Dia.	Arbour	RPM	AMPS	Net Weight
BST4100-09	10"	5/8"	3650	120V 15.0	60.0 lbs.

Colt™ Single-Speed Electronic Palm Router

BOSCH

- Rugged Aluminum Fixed Base - Durable, solid and precise
- Fast & Precise Depth Adjustment System - Allows both macro and micro adjustment
- Versatile Bit-Changing System: Fast, easy bit changes using two wrenches or spindle lock and one wrench
- Softstart - Reduces start-up torque
- Constant Response™ Circuitry - Monitors and maintains speed under load for consistent performance and provides overload protection
- Quick-Clamp System - Allows motor to be easily adjusted or moved from base to base

INCLUDES: Motor, Fixed Base, 1/4" Self-Releasing Collet, 10mm Shaft Wrench, 17mm Collet Wrench

Part #	Collet (in.)	RPM	AMPS	Net Weight
BSTPR10E	1/4	35,000	120V 5.6	3.2 lbs.

Colt™ Single-Speed Electronic Palm Router

BOSCH

- Straight Edge Guide — Guides router along edges of workpiece or up to 3-5/8" from edge
- Rugged Aluminum Fixed Base - Durable, solid and precise
- Fast & Precise Depth Adjustment System - Allows both macro and micro adjustment
- Versatile Bit-Changing System: Fast, easy bit changes using two wrenches or spindle lock and one wrench
- Softstart - Reduces start-up torque
- Constant Response™ Circuitry - Monitors and maintains speed under load

INCLUDES: Motor, Fixed Base, 1/4" Self-Releasing Collet, 10mm Shaft Wrench, 17mm Collet Wrench, Straight Edge Guide, Carrying Case

Part #	Collet (in.)	RPM	AMPS	Net Weight
BSTPR20EVSK	1/4	16,000 - 35,000	120V 5.6	3.2 lbs.

2.25 HP Combination Plunge & Fixed-Base Router Pack

BOSCH

- Macro and Microfine Bit Depth Adjustment System with Resettable Depth Indicator - For fast, precise depth adjustment
- Now Includes RA1161 Fixed Base with System - For adjusting bit depth from above a router table
- Quick-clamp System - Allows motor to be easily adjusted or moved from base to base
- Precision Centering Design - Makes it easy to keep bit on intended cutline when using jigs, templets, dovetail fixtures and similar guidance devices
- Large 3-3/4" Base Opening Plus 2" Subbase Opening - Accepts large bits
- One-piece Armature Shaft - For accuracy and long bit shank capacity

INCLUDES: 16171 & 16176 Motors, Plunge & Fixed Bases, 1/4" & 1/2" Self-Releasing Collet Chucks, 16mm Shaft Wrench, 24mm Collet Nut Wrench, Fixed Base Chip Shield, T-Handle Hex Height Adjustment Wrench, Plunge Base Chip Shield, Carrying Case

Part #	Collet (in.)	RPM	AMPS	Net Weight
BST1617EVSPK	1/4, 3/8, 1/2	8000 - 25,000	120V 12.0	8.1 lbs.

3.25 HP Electronic Plunge Router

BOSCH

- The most versatile and precise router above and below the table
- Converts easily spring mangement for use with router table and back to upright use
- Bosch-exclusive System - Defeats both plunge lock and plunge springs - For effortless depth adjustments in router table
- Precision Centering Design - Makes it easy to keep bit on intended cutline when using jigs, templets, dovetail fixtures and similar guidance devices
- Macro and microfine adjustment knobs plus depth rod and turret - Versatile, precise depth adjustment
- Constant-Response™ Circuitry

INCLUDES: Motor, Fixed Base, 1/4" Self-Releasing Collet, 10mm Shaft Wrench, 17mm Collet Wrench

Part #	Collet (in.)	RPM	AMPS	Net Weight
BST1619EVS	1/4, 3/8, 1/2	8000 - 21,000	120V 15.0	13.2 lbs.

5" Variable Speed Palm Random Orbit Sander/Polisher Kit

BOSCH

- Comfortable Soft-grip Top and Body - Multiple grip positions to prevent hand fatigue
- Low-vibration Design - Engineered for smooth running and user comfort
- High-performance Soft Microcellular Backing Pad – Provides a fine finish on flat or contoured surfaces
- Hook-Tight™ hook-&-loop disc attachment - Over 35,000 long-life hooks ensure firm grip of disc, (up to 2x the standard number of hooks.)
- Uses industry-standard 8-hole 5" hook-&-loop discs
- Integral pad dampening system - Helps prevent swirl makrs
- Bosch Microfilter Dust Canister
- Multi-purpose sander with pad that both orbits and rotates, duplicating natural hand sanding action and delivering a well-blended, ultra-smooth surface finish with fast removal rate

INCLUDES: Soft Backing Pad, Microfilter Dust Canister, Vacuum Hose Adapter for 1-1/4", 1'1/2" and Bosch Vacuum Hoses, Sanding Disc, Carrying Case

Part #	Dia. (in.)	RPM	AMPS	Net Weight
BSTROS20VSK	5	7500 - 12,000	120V 2.5	3.5 lbs.

3" x 21" Variable-Speed Belt Sander

BOSCH

- Variable Speed Dial - Allows matching of speed to workpiece and task • Lightweight - Designed for both vertical and horizontal applications, great for remodeling work
- 16-ft. Cord for extended range of operation
- Removable Front Handle - For close work
- Compact In-line Design - For better balance
- Sands Flush to Vertical Surfaces - For sanding versatility
- Lever Belt Release-action - For quick belt changes
- Belt Tracking Adjustment Knob
- Graphite Platen Protector Pad - For cool running and uniform sanding
- Replaceable wear inserts - Protect housing from damage
- Accepts optional sanding frame, stand and fence - For versatility and accuracy

INCLUDES: Dust Bag Assembly, Graphite Platen Pad, Sanding Belt, Vacuum Hose Adaptor for 1-1/4", 1-1/2" and Bosch Vacuum Hoses

Part #	Belt Size (in.)	SFPM	AMPS	Net Weight
BST1274DVS	3 x 21	550 - 1100	120V 6.0	7.5 lbs.

Wall/Floor Covering Laser

BOSCH

NEW INTERIOR 65ft 20m

- Bright, Visible Laser Lines - Clear, sharp and very precise for all tile and floor/wall covering surfaces
- Taller than Typical Floor Covering Layout Lasers - Raised from the surface to project over uneven surfaces. laser lines are brightly visible over obstructions, textures and most types of surface
- Select 0° and 90° Lines Plus Optional 45° Layout Line At the Press of a Button - This provides 0°, 45° and 90° layout from a single set-up
- Projects 90° Lines for Squaring
- Strong Magnets on the Bottom of the Tool - Provides secure and adjustable attachment on positioning plate and other ferrous-metal surfaces
- Includes Magnetic Base
- IP54 Dust and Water Protection - Ensures reliability in all job site conditions

INCLUDES: Versatile Steel Positioning Plate, Target, Soft Carrying Case, (4) AA Batteries

Part #	Accuracy	Range	Power	Weight
BSTGTL3	+- 1/16" at 20'	up to 65'	(4) AA Batteries	1.1 lbs.

3-Point Self-Leveling Alignment Laser

BOSCH

NEW INTERIOR 100ft 30m

- 3-Point Plumb and Level Point Projection - Accurately transfers and aligns level, plumb, 90° and grade points
- Patented Diamond-Cut Beam Splitter - Single diode projects all points for superior accuracy
- Pocket-Sized - Only 4-1/8" tall; pouch fits on tool belt
- Integrated Reference Lines - For precise positioning of tool and transfer of points
- Easy Access Battery Compartment
- Multipurpose Attachment - Position and mount with magnets, strap or threaded mounts (1/4-20, 5/8-11)
- Robust Over-Molded Housing - Water and dust proof to ensure years of dependable operation
- Smart Pendulum Leveling System
- Self-levels, senses and indicated out-of-level condition, locks when switched off
- Easy Field Recalibration - Maintains accuracy and prevents downtime

INCLUDES: Multipurpose Attachment, Mounting Strap, Recalibration Wrench, Belt Pouch, (3) AA Batteries

Part #	Accuracy	Range	Power	Weight
BSTGPL3	+- 1/4" at 100'	up to 100'	(3) AA Batteries	0.9 lbs.

5-Point Self-Leveling Alignment Laser

BOSCH

NEW INTERIOR 100ft 30m

- 5-Point Laser Projection - Level, plumb up, plumb down and square for accurate alignment and layout
- Accurately Transfers and Aligns, Level, Plumb, 90° Square and Grade Points
- Easy Field Recalibration - Maintains accuracy and prevents downtime
- Pocket-Sized - Only 4-1/8" tall; pouch fits on tool belt
- Easy Access Battery Compartment
- Integrated Reference Lines - For precise positioning of tool and transfer of points
- Smart Pendulum Leveling System - Self-levels, senses and indicates out-of-level condition, locks when switched off
- Multipurpose Attachment - Position and mount with magnets, strap or threaded mounts (1/4-20, 5/8-11)

INCLUDES: Multipurpose Attachment, Recalibration Wrench, Belt Pouch, (3) AA Batteries

Part #	Accuracy	Range	Power	Weight
BSTGPL5	+- 1/4" at 100'	up to 100'	(3) AA Batteries	1.0 lbs.

5-Point Alignment Self-Leveling Laser with Cross Point Technology

BOSCH

NEW INTERIOR 100ft 30m

- 5-Point Laser Projection plus Highly-visible Laser Cross Lines
- Cross Point Reference Lines - Projected from both ceiling and floor points
- Built-in Magnets at Base
- Smart Pendulum Leveling System - Self-levels and indicates out-of-level condition. Secure transport lock protects pendulum when unit is switched off
- Projects Plumb, Level And Square Points - For precise positioning and transfer of points for easy and accurate alignment of points in level, plumb, and square applications
- Selection Switch to Choose Between Laser Options of: 3 horizontal points for 90° alignment and leveling, Up and down cross points with 90° horizontal point, 5 points with cross points
- Highly-Visible Laser Dots and Lines
- IP54 Dust and Water Protection - Ensures reliability in all job site conditions20, 5/8-11)

INCLUDES: Belt Pouch, (4) AA Batteries

Part #	Accuracy	Range	Power	Weight
BSTGPL5C	+- 1/4" at 100'	up to 100'	(4) AA Batteries	1.1 lbs.

Digital Angle Finder Kit

BOSCH

Measure 1st Angle

Measure 2nd Angle

Display the Exact Miter and Bevel Angles at the Touch of a Button for a Perfect Fit

- Precision Angle Finder - Measures the exact angle of existing surface within 0.1°
- Simple Miter Cut Calculator - Calculates the exact miter angle needed for perfect fit of baseboard, picture frames and more
- Compound Cut Calculator - Calculates the exact miter and bevel angles needed for a perfect fit of crown moldings and more
- Versatile Memory - Stores an angle measurement (such as crown molding spring angle) for repeated use
- Leg Extension - For confined areas

INCLUDES: Leg Extension, Carrying Case, (4) AA Batteries

Part #	Compound	Miter	Power	Weight
BSTDAF220K	0º-180º	0º-220º	(4) AA Batteries	2.4 lbs.

Digital Multi-Detector

BOSCH

INTERIOR

- Multi-functional Detection of Ferrous and Non-ferrous Metals (Rebar, Studs and Pipes), Wood Studs and Live Wiring
- Detects steel up to 4" deep, even in concrete
- Illuminated Ring Around Marking Hole - Changes from green to red to provide clear indication of detection
- Zoom Feature in Metal Mode - For enhanced precision in detecting small objects, locating centers of large objects, and distinguishing between close objects
- Autocalibration In Metal Mode - Metal scan can be started at any location
- Informative LCD Display - Indicates mode, detection strength and more
- Audible Detection Signal
- On-tool Marking Pencil Storage - Accepts standard pencil width

INCLUDES: 2 Marking Pencils, Belt Pouch, 9V Battery

Part #	Max Depth	Power	Weight
BSTDMD4K	4" Metal / 2" Copper Wire	(1) 9V Battery	0.53 lbs.

Laser Distance Measurer

BOSCH

NEW INTERIOR 230ft 70m

- Seven Measuring Modes - Length, area, volume, min./max., continuous, indirect length, multi-surface area measurements for versatile applications
- Four Measuring Reference Points - Back, front, swing-out extension pin for measuring from inside corners or channels, or center of optional tripod
- Multi-Surface Area Mode - Calculates the total area of several individual surfaces with a common length or height
- Min./max. Measurement Mode - For accurate measurement to the shortest / longest distance from a fixed reference point
- Indirect Length Measurement Mode - Calculate inaccessible distances that cannot be measured directly (due to obstruction or lack of reflecting surface)
- Built-in Bubble Vial - Provides visual reference when measuring horizontal distances
- Four Measurement Systems - Inches, feet and inches, decimal feet, and metric
- Pocket-sized - Only 4" (10 cm) tall.

INCLUDES: Belt Pouch, Hand Strap, (4) AAA Batteries

Part #	Range	Accuracy	Power	Weight
BSTGLR225	2"-230'	+- 1/16"	(4) AAA Batteries	6.35 oz.

Digital Multi-Detector

BOSCH

NEW INTERIOR EXTERIOR

- Plastic Pipe Detection - Pipes over 1" diameter are detectable up to 2-3/8" (6 cm) deep in Concrete Mode
- Wood Studs Detection - Up to 1-1/2" (3.8 cm) deep
- Five Detection Modes: Choose the specific construction barrier - concrete, deep concrete, filled pipes, drywall and masonry
- Large Illuminated Display
- Calibration-free - Ready to use anytime
- Four-Wheel Design - Easy and smooth maneuverability across surfaces
- Large LED Detection Indicator
- Audible Detection Signal - Easily switches on and off
- Multi-language Options - English, French, Spanish, German, Italian and Polish

INCLUDES: Soft Carrying Case, (4) AA Batteries

Part #	Max Depth	Power	Weight
BSTD-TECT150	6" Metal / 3-1/8" Copper Wire	(4) AA Batteries	1.6 lbs.

Horizontal and Vertical Electronic Self-Leveling Rotary Laser with 90° Layout Beam

BOSCH

Ideal for ceilings, walls and partitions

Convenient leveling of floors, concrete and all interior and exterior surfaces

Beam Customization
- Four Lengths (0º, 10º, 25º, 50º) and Three Rotation Speed Settings (150, 300, 600 Rpm) for Diverse Application and Lighting Conditions

New Shock Warning Function
- This great feature gives an indication when the laser may have been moved or disturbed from its self-leveled condition

Smart Electronic Self-Leveling Systems
- Keeps the Unit Level or in Vertical in all Conditions or Vibrations Conditions
- Full Range of Visibility Features - Scan and speed settings plus manual spot position makes for easy set up and alignment
- Easy to Check Field Calibration with Shock Warning Indication - Easy to Maintain Accuracy and Prevent Downtime
- Robust Construction with IP54 Protection and Rated for 1m Drop Test
- Easy to Load and Unload Battery Compartment

NEW | INTERIOR | EXTERIOR | 1000ft 300m

- Horizontal and Vertical Self Leveling for Level and Alignment, Plus a 90-degree Layout Beam
- Easy to Check Field Calibration with Shock Warning Indication - Easy to maintain accuracy and prevent downtime
- Smart Electronic Self Leveling System - Self Levels, senses and indicates out-of-level condition for security and accuracy on the job
- Full Range of Visibility Features – Scan, speed, adjustable head and remote
- Robust Construction with IP54 Protection and Rated for 1m Drop Test
- Beam Customization - Four lengths (0º, 10º, 25º, 50º) and three rotation speed settings (150, 300, 600 rpm) for diverse application and lighting conditions
- New Shock Warning Function

INCLUDES: Laser Glasses, Remote Control RC1, Magnetic Target, WM4 Wall Mount, Hard Carrying Case, (2) D Batteries

Part #	Accuracy	Range	Power	Weight
BSTGRL300HV	+-1/8" at 100'	1000'	(2) D Batteries	3.75 lbs.

Telescoping Pole System for Laser Tools

BOSCH

INTERIOR | EXTERIOR

- Complete Laser Tool Positioning System - Pole, Clamp and Tool Mount are all included
- Swiveling 1/4-20 Threaded Mount - For attachment of line or point layout laser
- Quick-Set Clamp - Easy placement at virtually any height between floor and ceiling
- Anti-Slip Surface on Foot and Ball - Jointed Head Plate for secure placement at floor and ceiling

INCLUDES: Telescoping Pole, Tool Mount, Mounting Clamp, Soft Carrying Case

Part #	Height (ft.)	Mount Threading	Weight
BSTBP350	4.6 - 11.5	1/4 - 20	5.5 lbs.

Aluminum Contractors' Tripod

BOSCH

- Lightweight and Durable Aluminum Design - Hinges, Clamps and Shoe Casings
- Electrostatic Powder-Painted Casting for a Durable and Long-Lasting Finish
- Positive Locking Quick Clamp
- 5/8-11 Thread Stud, Flat-Head Tripod - Universal with String Hook for Plumb Bob

INCLUDES: Heavy Duty Poly-Webbing Shoulder Strap

EXTERIOR | 63in 160cm

Part #	Head Type	Mount	Height (in.)	Weight
BSTBT160	Flat	5/8 - 11	38" - 63"	9.0 lbs.